

BrailleNote mPower BT

Command Summary

V 8

1030 René-Lévesque, Drummondville,
Québec, CANADA
J2C 5W4.

Telephone 1-888-723-7273. Fax (819) 471-4828

E-mail: ca.info@humanware.com

Sales: ca.sales@humanware.com

World Wide Web: <http://www.humanware.com>

User guide version 20090703

Contents

1	Command Summary.....	4
1.1	General Commands.....	4
1.1.1	Operating Modes.....	4
1.1.2	In a Menu or List.....	5
1.1.3	Options Available at Any Point.....	6
1.1.4	Switch Programs.....	7
1.1.5	At "Folder Name" prompt.....	8
1.1.6	At "List of Folders" prompt.....	8
1.1.7	Within a Folder list.....	8
1.1.8	At "Directory Name" prompt.....	9
1.1.9	At "Subdirectories" prompt.....	9
1.1.10	Within a Subdirectory List.....	10
1.1.11	At "File Name" and "Document Name" prompt.....	10
1.1.12	Within a List of Files or Documents.....	11
1.1.13	Other Useful Commands at prompts.....	11
1.1.14	Thumb Keys.....	11
1.1.15	Options Menu.....	12
1.2	Word Processor.....	13
1.2.1	KeyWord text review.....	13
1.2.2	Other Review Commands.....	14
1.2.3	At "List of Files" and "List of Documents" prompt.....	14
1.2.4	Editing Commands.....	15
1.2.5	Formatting Commands.....	16
1.2.6	Commands used within Braille Documents.....	17
1.2.7	Commands used within Text Documents.....	17
1.2.8	Block Commands.....	18
1.2.9	Miscellaneous KeyWord Commands.....	18
1.2.10	Spelling Checker Commands.....	19
1.2.11	When Looking up Word in Dictionary.....	19
1.2.12	Template Commands.....	20
1.3	Book Reader.....	20
1.3.1	DAISY commands.....	20
1.3.2	Review commands.....	21
1.3.3	Braille thumb keys commands.....	22
1.3.4	Miscellaneous commands.....	22
1.4	Calculator.....	23
1.4.1	Nemeth Math.....	23
1.4.2	UK Math.....	26
1.4.3	UEB Math.....	29
1.5	Planner.....	32
1.5.1	Selecting a New Date.....	32
1.5.2	Reading the Entries.....	33
1.5.3	Alarms.....	35
1.5.4	Miscellaneous Functions.....	35
1.6	Address List.....	36
1.7	E-mail.....	37
1.7.1	In an E-mail Folder.....	37
1.7.2	In a List of E-mail Folders.....	37

	1.7.3	At “Ready to send” prompt.....	38
	1.7.4	E-mail in Trash Folder.....	38
1.8		Database Manager.....	38
	1.8.1	Adding a Record.....	38
	1.8.2	Finding Information.....	39
	1.8.3	Field Definition List Commands.....	39
	1.8.4	Sort Order and Record Title List Commands.....	39
1.9		Games.....	40
	1.9.1	Basic Commands.....	40
	1.9.2	Game History Commands.....	40
1.10		Unicode Characters.....	41
1.11		Web Browser.....	41
	1.11.1	Move by Element.....	42
	1.11.2	Move from link to link.....	42
	1.11.3	Tables.....	43
	1.11.4	History.....	43
1.12		Chat.....	44
1.13		Stopwatch.....	44
1.14		Media Player.....	45
	1.14.1	Audio Recorder.....	45
	1.14.2	FM Radio.....	46

1 Command Summary.

1.1 General Commands.

1.1.1 Operating Modes.

Speech On Request/Off/On	<i>SPACE with PREVIOUS thumb key</i>
Braille On/Off	<i>SPACE with NEXT thumb key</i>
Start in one handed mode:	Hold down BACKSPACE while turning On BrailleNote. BrailleNote remains in one-handed mode until restarted in two-handed mode.
Start in two-handed mode:	Hold down ENTER while turning On BrailleNote BT.

Braille Display:

Auto Display	<i>SPACE with dots 1-2-4-5-6</i>
Slow Down	<i>PREVIOUS</i>
Speed Up	<i>NEXT</i>
Stop	<i>Previous with Next thumb key</i>
Back a Word	<i>Previous with Back thumb key</i>
Forward a Word	<i>Previous with Advance thumb key</i>
Route Cursor Beginning	<i>Back with Advance thumb key</i>
Mode	<i>Previous with Next (Cycle x 4)</i>

1.1.2 In a Menu or List.

Move forward in a menu or list: ***SPACE***, or
SPACE with dot 4, or
ADVANCE thumb key.

Move backward in an menu or list: ***BACKSPACE***, or
SPACE with dot 1 or
BACK thumb key.

Select displayed item: ***ENTER*** or
NEXT thumb key.

Select item in menu or jump to item in list: Press ***first letter***.

1.1.3 Options Available at Any Point.

Return to Main Menu:	<i>SPACE with dots 1 to 6.</i>
Exit current option:	<i>SPACE with E.</i>
Obtain help for current operation:	<i>SPACE with H.</i>
Increase volume:	<i>ENTER with dot 4.</i>
Decrease volume:	<i>ENTER with dot 1.</i>
Speak faster:	<i>ENTER with dot 6.</i>
Speak slower:	<i>ENTER with dot 3.</i>
Raise pitch of speech:	<i>ENTER with dot 5.</i>
Lower pitch of speech:	<i>ENTER with dot 2.</i>
Stop reading, or acknowledge alarm:	<i>BACKSPACE with ENTER.</i>
Date announcement:	<i>SPACE with O, D or ENTER with D.</i>
Time announcement:	<i>SPACE with O, T, C or ENTER with T.</i>
Stopwatch:	<i>SPACE with O, T, S or ENTER with W.</i>
Keyboard Settings:	<i>SPACE with O, K or BACKSPACE with ENTER with K.</i>
Review Voice:	<i>SPACE with O, R or BACKSPACE with ENTER with R.</i>
Power and Battery status:	<i>SPACE with O, P.</i>
User Guide:	<i>SPACE with O, U or BACKSPACE with ENTER with H.</i>
Next appointment:	<i>SPACE with O, N or ENTER with N.</i>
Repeat the last message or prompt:	<i>SPACE with R.</i>
Repeat the last prompt with spelling:	<i>SPACE with O, S or ENTER with S.</i>
Repeat the last prompt with all punctuation:	<i>SPACE with O, H or ENTER with H.</i>
Options Menu:	<i>SPACE with O.</i>
Increase volume of media player, FM radio and streaming audio:	<i>ENTER with dots 4-6.</i>
Decrease volume of media player, FM radio and streaming audio:	<i>ENTER with dots 1-3.</i>

Pause media player, stop audio streaming, mute FM radio : **ENTER with dots 1-3-4-6.**
Restart media player, start audio streaming, unmute FM radio: **ENTER with dots 1-3-4-6.**
Playback last memo: **ENTER with M.**
Unicode table (available at any point computer braille is in use):
BACKSPACE with dots 3-5.
UEB symbol table (available at any point that UEB is in use):
BACKSPACE with dots 3-5.
Select Language and Braille code: **ENTER with L.**
Change Braille Grade for keyboard entry: **BACKSPACE with G.**

1.1.4 Switch Programs.

Task menu: **SPACE with dots 2-3-5, or**
SPACE with O, M, or
Go to Word processor: **BACKSPACE with ENTER with W.**
Go to Planner: **BACKSPACE with ENTER with P.**
Go to Address List: **BACKSPACE with ENTER with A.**
Go to E-mail: **BACKSPACE with ENTER with E.**
Go to Book Reader: **BACKSPACE with ENTER with B.**
Go to Calculator: **BACKSPACE with ENTER with S.**
Go to Internet: **BACKSPACE with ENTER with I.**
Go to Chat (instant messaging): **BACKSPACE with ENTER with C.**
Go to Terminal for Screen Reader: **BACKSPACE with ENTER with T.**
Go to Media Player: **BACKSPACE with ENTER with M.**
Go to Database Manager: **BACKSPACE with ENTER with D.**
Go to Games: **BACKSPACE with ENTER with G.**
Go to FM Radio: **BACKSPACE with ENTER with F**

1.1.5 At "Folder Name" prompt.

Type folder name and press *ENTER*, or

Access folder list: *SPACE*.

Select a directory path: *SPACE with T*.

Change Drive: *BACKSPACE*.

1.1.6 At "List of Folders" prompt.

Cycle forward through folder list: *SPACE*.

Cycle back through folder list: *BACKSPACE*.

Jump to folder name starting with: Press *first letter*.

Display disk name and space available: *SPACE with I*.

Return to "Folder Name?" prompt: *SPACE with E*.

Change order in which folders are listed: *SPACE with V*

1.1.7 Within a Folder list.

Cycle forward through folder list: *SPACE*.

Cycle back through folder list: *BACKSPACE*.

Jump to folder name starting with: Press *first letter*.

Return to "Folder Name?" prompt: *SPACE with E*.

Select displayed folder or marked folders: *ENTER*.

Display folder information: *SPACE with I*.

Rename folder: *BACKSPACE with R*.

Delete folder: *BACKSPACE with dots 1-4*.

Copy folder: *BACKSPACE with Y*.

Mark or Unmark folder: *SPACE with M*.

Mark or Unmark all folders: *ENTER with lower g*.

Change order in which folders are listed: *SPACE with V*.

1.1.8 At "Directory Name" prompt.

Type subdirectory and press *ENTER*.

Access subdirectory list: *SPACE*.

Select a folder: *SPACE with T*.

Change drive: *SPACE with E*.

Go up a level in the directory structure: *SPACE with dots 2-3*.

1.1.9 At "Subdirectories" prompt

Cycle forward through subdirectory list: *SPACE*.

Cycle back through subdirectory list: *BACKSPACE*.

Jump to subdirectory name starting with: Press *first letter*.

To go up a level in the directory structure: *SPACE with dots 2-3*.

Display disk name and space available: *SPACE with I*.

Return to "Directory Name?" prompt: *SPACE with E*.

1.1.10 Within a Subdirectory List

Cycle forward through subdirectory list: *SPACE*.

Cycle back through subdirectory list: *BACKSPACE*.

Select displayed subdirectory: *ENTER*.

Jump to subdirectory name starting with: Press *first letter*.

To display the subdirectories of the displayed directory: *SPACE with dots 5-6*

To go up a level in the directory structure: *SPACE with dots 2-3*.

Display subdirectory information: *SPACE with I*.

Rename subdirectory: *BACKSPACE with R*.

Erase subdirectory: *BACKSPACE with dots 1-4*.

Copy subdirectory: *BACKSPACE with Y*.

Mark or Unmark subdirectory: *SPACE with M*.

Mark or Unmark all subdirectories: *ENTER with lower g*

Return to "DirectoryName?" prompt: *SPACE with E*.

Change order in which subdirectories are listed: *SPACE with V*

1.1.11 At "File Name" and "Document Name" prompt.

Type file name and press *ENTER*, or

Cycle forward through list of files: *SPACE*.

Change folder: *BACKSPACE*.

Toggle document type to create: *SPACE with X*.

Cycle forward through most recently opened files: *SPACE with dots 5-6*.

Cycle back through most recently opened files: *SPACE with dots 2-3*.

Change order in which files are listed: *SPACE with V*

1.1.12 Within a List of Files or Documents.

- Cycle forward through list of files: *SPACE*.
- Cycle back through list of files: *BACKSPACE*.
- Jump to file name starting with: Press *first letter*.
- Select displayed file or marked files: *ENTER*.
- Rename file: *BACKSPACE with R*.
- Delete file: *BACKSPACE with dots 1-4*.
- Move file: *BACKSPACE with M*.
- Copy file: *BACKSPACE with Y*.
- Protect or unprotect file: *BACKSPACE with P*, then *P*
- Mark or unmark a file: *SPACE with M*
- Mark or unmark all files: *ENTER with lower g*
- Toggle file type to view: *SPACE with X*.
- Return to "File Name?" prompt: *SPACE with E*.
- File information: *SPACE with I*.
- Change order in which files are listed: *SPACE with V*

1.1.13 Other Useful Commands at prompts.

- Single-character wild-card: *SPACE with dots 2-3-6*.
- Multi-character wild-card: *SPACE with dots 3-5*.
- Clear field: *SPACE with dots 3-5-6*.
- Upper case for computer Braille: *SPACE with U*.

1.1.14 Thumb Keys

- Thumb keys On/Off toggle: *SPACE with O, F*.

1.1.15 Options Menu.

The following items are accessed via the Options Menu, and have not previously been covered under 20.1.3 Options Available at Any Point.

Access Options menu:	<i>SPACE with O.</i>
Grade of Braille:	<i>SPACE with O, G, or BACKSPACE with G, or</i>
Set Grade 1:	<i>BACKSPACE with A.</i>
Set Grade 2:	<i>BACKSPACE with B.</i>
Set Computer Braille:	<i>BACKSPACE with J.</i>
Braille Options:	<i>SPACE with O, B.</i>
Visual Display:	<i>SPACE with O, V.</i>
Insertion:	<i>SPACE with O, I, or ENTER with I.</i>

1.2 Word Processor.

1.2.1 KeyWord text review.

Read continuously:	<i>SPACE with G.</i>
Stop reading:	<i>BACKSPACE with ENTER, or SPACE with dots 1-4-6.</i>
Top of file:	<i>SPACE with dots 1-2-3.</i>
Bottom of file:	<i>SPACE with dots 4-5-6.</i>
Previous character:	<i>SPACE with dot 3.</i>
Current character:	<i>SPACE with dots 3-6.</i>
Next character:	<i>SPACE with dot 6.</i>
Previous word:	<i>SPACE with dot 2.</i>
Current word:	<i>SPACE with dots 2-5.</i>
Next word:	<i>SPACE with dot 5.</i>
Start of line:	<i>SPACE with dots 1-3.</i>
End of line:	<i>SPACE with dots 4-6.</i>
Start of next line:	<i>SPACE with dots 4-5.</i>
Review-only mode:	<i>SPACE with X.</i>
Information (filename and word count):	<i>SPACE with I.</i>
Open Previous Document:	<i>SPACE with dots 1-2-5-6.</i>
Check or change Reading Mode:	<i>SPACE with M.</i>

In Sentence and Paragraph reading Mode, the following commands review sentences and paragraphs.

Previous sentence:	<i>SPACE with dot 1.</i>
Current sentence:	<i>SPACE with dots 1-4.</i>
Next sentence:	<i>SPACE with dot 4.</i>
Previous paragraph:	<i>SPACE with dots 2-3.</i>
Current paragraph:	<i>SPACE with dots 2-3-5-6.</i>
Next paragraph:	<i>SPACE with dots 5-6.</i>

In Line Mode, the same commands review lines and sections.

In Column mode, the same commands review the current word on the line above or below and section above or below.

1.2.2 Other Review Commands.

Find where cursor is:	<i>SPACE with wh sign (dots 1-5-6).</i>
Go to:	<i>SPACE with dots 1-2-6.</i>
Previous page:	<i>SPACE with 1-2-6 then SPACE with dot 1.</i>
Next page:	<i>SPACE with dots 1-2-6 then SPACE with d ot 4.</i>
Go to next Tab position:	<i>BACKSPACE with T.</i>
Define Place Marker:	<i>BACKSPACE with D.</i>
Jump to Place Marker:	<i>SPACE with J.</i>
Find:	<i>SPACE with F.</i>
Find Next Occurrence:	<i>SPACE with N.</i>

1.2.3 At "List of Files" and "List of Documents" prompt.

Cycle forward through list of files:	<i>SPACE.</i>
Cycle back through list of files:	<i>BACKSPACE.</i>
Jump to file name starting with:	Press <i>first letter.</i>
Display directory information:	<i>SPACE with I.</i>
Change order in which files are listed:	<i>SPACE with V</i>
Return to "File Name?" prompt:	<i>SPACE with E.</i>

1.2.4 Editing Commands.

Delete menu:	<i>SPACE with D.</i>
Backspace:	<i>BACKSPACE.</i>
Delete current character:	<i>BACKSPACE with dots 3-6.</i>
Delete current word:	<i>BACKSPACE with dots 2-5.</i>
Delete previous word:	<i>BACKSPACE with dot 2.</i>
Delete to end of sentence:	<i>BACKSPACE with dots 1-4</i> in Sentence and paragraph reading mode.
Delete to end of paragraph:	<i>BACKSPACE with dots 2-3-5-6</i> in Sentence and paragraph reading mode.
Delete to end of line:	<i>BACKSPACE with dots 1-4</i> in Line and Column reading modes.
Delete to end of section:	<i>BACKSPACE with dots 2-3-5-6</i> in Line and Column reading modes.
Delete to end of document:	<i>BACKSPACE with dots 4-5-6.</i>
Find and replace:	<i>BACKSPACE with F.</i>

1.2.5 Formatting Commands.

New line:	<i>ENTER.</i>
New Page:	<i>SPACE with P.</i>
TAB:	<i>SPACE with T.</i>
Binding space:	<i>ENTER with B.</i>
Format menu:	<i>SPACE with dots 2-3-4-6.</i>
Document Layout:	<i>SPACE with dots 2-3-4-6, L, or BACKSPACE with L.</i>
Style of presentation:	<i>SPACE with dots 2-3-4-6, S, or BACKSPACE with S.</i>
Center line:	<i>SPACE with dots 2-3-4-6, C, or ENTER with C.</i>
Right justify line:	<i>SPACE with dots 2-3-4-6, R, or ENTER with R.</i>
Page settings:	<i>SPACE with dots 2-3-4-6, P, or BACKSPACE with P.</i>
Template Menu:	<i>BACKSPACE with ENTER with dots 2-3-4-6.</i>
Insertion menu:	<i>SPACE with O, I, or ENTER with I.</i>
Insert the Time:	<i>SPACE with O, I, T.</i>
Insert the Date:	<i>SPACE with O, I, D.</i>
Insert calculator result or whole calculation:	<i>SPACE with O, I, C.</i>

1.2.6 Commands used within Braille Documents.

Ink-print Settings Menu:	Format menu, <i>I</i> .
Ink-print layout:	Ink-print Settings Menu, <i>L</i> , or <i>BACKSPACE with ENTER with L</i> .
Ink-print only inclusion:	Ink-print Settings Menu, <i>I</i> , or <i>BACKSPACE with ENTER with J</i> .
Start ink-print exclusion:	Ink-print Settings Menu, <i>S</i> , or <i>BACKSPACE with ENTER with dots 3-4</i> .
End ink-print exclusion:	Ink-print Settings Menu, <i>E</i> , or <i>BACKSPACE with ENTER with dots 2-6</i> .
Ink-print translation options:	Ink-print Settings Menu, <i>T</i> , or <i>BACKSPACE with ENTER with O</i> .
Ink-print page settings:	Ink-print Settings Menu, <i>P</i> .
Font control for translated or print document:	<i>ENTER with F</i> .

1.2.7 Commands used within Text Documents.

Underline:	<i>SPACE with dots 2-3-4-6, U, or ENTER with U</i> .
Font:	<i>SPACE with dots 2-3-4-6, F, or ENTER with F</i> .
Braille Settings Menu:	Format menu, <i>B</i> .
Braille layout:	Braille Settings Menu, <i>L</i> , or <i>BACKSPACE with ENTER with L</i> .
Braille only inclusion:	Braille Settings Menu, <i>I</i> , or <i>BACKSPACE with ENTER with J</i> .
Start Braille exclusion:	Braille Settings Menu, <i>S</i> , or <i>BACKSPACE with ENTER with dots 3-4</i> .
End Braille exclusion:	Braille Settings Menu, <i>E</i> , or <i>BACKSPACE with ENTER with dots 2-6</i> .
Braille page settings:	Braille Settings Menu, <i>P</i> .
Braille translation options:	Braille Settings Menu, <i>T</i> , or <i>BACKSPACE with ENTER with O</i> .
Braille grade:	Braille Settings Menu, <i>B</i> , or <i>ENTER with G</i> .

1.2.8 Block Commands.

Block menu:	<i>SPACE with B.</i>
Append block to clipboard:	Block menu, <i>A.</i>
Bottom marker insertion:	Block menu, <i>B.</i>
Copy block to clipboard:	Block menu, <i>C.</i>
Delete block:	Block menu, <i>D.</i>
Erase file and exit Keyword:	Block menu, <i>E.</i>
Insert file:	Block menu, <i>I.</i>
Move block to clipboard:	Block menu, <i>M.</i>
Paste clipboard:	Block menu, <i>P.</i>
Read block:	Block menu, <i>R.</i>
Store block:	Block menu, <i>S.</i>
Top marker insertion:	Block menu, <i>T.</i>
Zap block markers:	Block menu, <i>Z.</i>
Correct Braille grade of block (English only)	Block menu, <i>B</i>
Language and Braille grade change (if more than one language is enabled):	Block menu, <i>L.</i>

1.2.8.1 Quick Mark commands.

Mark character:	Block menu, <i>SPACE with dots 3-6.</i>
Mark word:	Block menu, <i>SPACE with dots 2-5.</i>
Mark sentence or line:	Block menu, <i>SPACE with dots 1-4.</i>
Mark paragraph or section:	Block menu, <i>SPACE with dots 2-3-5-6.</i>

1.2.9 Miscellaneous KeyWord Commands.

Find where the cursor is:	<i>SPACE with wh sign (dots 1-5-6).</i>
Query value of Tab stop:	<i>SPACE with wh sign (dots 1-5-6).</i>
Switch document:	<i>SPACE with dots 1-2-5-6.</i>
Exit and Save document:	<i>SPACE with E.</i>
Save document:	<i>SPACE with S.</i>
Quit document:	<i>BACKSPACE with Q.</i>

1.2.10 Spelling Checker Commands.

Spelling Checker menu:	<i>SPACE with dots 1-6, the ch sign.</i>
Check from cursor to end of document:	Spell Check menu, <i>C</i> .
Document check:	Spell Check menu, <i>D</i> .
Lookup Word in dictionary:	Spell Check menu, <i>L</i> .
Word check:	Spell Check menu, <i>W</i> .
Paragraph or section check:	Spell Check menu, <i>P</i> .
Select Language:	Spell Check menu, <i>S</i> .
At the Spelling Checker "Option?" prompt, the following are valid:	
Review the word:	<i>SPACE with dots 2-5.</i>
Ignore the word:	<i>I</i> .
Skip this occurrence of the word:	<i>SPACE with dot 5.</i>
Add the word to the dictionary:	<i>A</i> .
Correct the word:	<i>C</i> , new word.
Review suggested spellings:	<i>S</i> .
Look up a word in the dictionary:	<i>L</i> .
Read sentence containing word:	<i>SPACE with dots 1-4.</i>
Read paragraph containing word:	<i>SPACE with dots 2-3-5-6.</i>
During Suggested Spelling Review:	
Display original word:	<i>I</i> . Second press spells word.
Spell current suggestion:	<i>SPACE with O</i> , then <i>S</i> .
Use suggestion:	<i>ENTER</i> .
Return to option prompt:	<i>SPACE with E</i> .

1.2.11 When Looking up Word in Dictionary.

Spell current word in dictionary:	<i>SPACE with O</i> , then <i>S</i> .
Display original word:	<i>I</i> .
Replace original word:	<i>ENTER</i> .

1.2.12 Template Commands.

Template Menu:	<i>BACKSPACE with ENTER with dots 2-3-4-6.</i>
Insert Field:	Template Menu, <i>I</i> , or <i>BACKSPACE with I.</i>
Force inclusion of line:	Template Menu, <i>F.</i>
Start conditional suppression:	Template Menu, <i>S.</i>
End conditional suppression:	Template Menu, <i>E.</i>
Mark comment line:	Template Menu, <i>M.</i>

1.3 Book Reader

1.3.1 DAISY commands

Start listening:	<i>SPACE with G</i>
Stop listening:	<i>BACKSPACE with ENTER</i>
Cycle through the list of Daisy elements:	<i>SPACE with T</i>
Move back by current Daisy element:	<i>SPACE with dots 1-3</i>
Move forward by current Daisy element:	<i>SPACE with dots 4-6</i>
Enter the list of headings:	<i>SPACE with V</i>
Go to any page, line or column:	<i>SPACE with dots 1-2-6</i>
Toggle the narrator voice on or off:	<i>ENTER with V</i>
Define a new place marker:	<i>BACKSPACE with D</i>
Jump to an existing place marker:	<i>SPACE with J</i>
Enter or view a text note:	<i>BACKSPACE with N</i>
Increase the narrator's volume:	<i>ENTER with dots 4-6</i>
Decrease the narrator's volume:	<i>ENTER with dots 1-3</i>
Speed up the narrator's voice:	<i>ENTER with dot 6</i>
Slow down the narrator's voice:	<i>ENTER with dot 3</i>
Increase the tone of the narrator's voice:	<i>ENTER with dot 5</i>
Decrease the tone of the narrator's voice:	<i>ENTER with dot 2</i>

1.3.2 Review commands

Go forward reading: *SPACE with G*

Stop reading: *BACKSPACE with ENTER*

Top of file: *SPACE with dots 1-2-3*

Bottom of file: *SPACE with dots 4-5-6*

Find text string: *SPACE with F*

Find Next Occurrence of the last search: *SPACE with N*

Previous character: *SPACE with dot 3*

Current character: *SPACE with dots 3-6*

Next character: *SPACE with dot 6*

Previous word: *SPACE with dot 2*

Current word: *SPACE with dots 2-5*

Next word: *SPACE with dot 5*

Previous sentence: *SPACE with dot 1*

Current sentence: *SPACE with dots 1-4*

Next sentence: *SPACE with dot 4*

Previous paragraph: *SPACE with dots 2-3*

Current paragraph: *SPACE with dots 2-3-5-6*

Next paragraph: *SPACE with dots 5-6*

Determine the current reading mode: *SPACE with M*

Change the reading mode: *SPACE with M repeatedly*

Announce Key Mode: *SPACE with W*

Book information: *SPACE with I*

Current position information: *SPACE with dots 1-5-6*

Go to any page, line or column: *SPACE with dots 1-2-6*

1.3.3 Braille thumb keys commands

Advance the display by one width: **ADVANCE**

Move back the display by one width: **BACK**

To move the display forward by a chosen amount of text: **NEXT**

To move the display back by a chosen amount of text: **PREVIOUS**

Start the display advancing automatically: **SPACE with dots 1-2-4-5-6**

Slow down: **PREVIOUS**

Speed up: **NEXT**

Stop: **PREVIOUS + NEXT thumb key**

To move the display back a word: **PREVIOUS + BACK thumb key**

To move the display forward a word: **PREVIOUS + ADVANCE thumb key**

Turn speech on or off: **SPACE + PREVIOUS thumb key**

Turn the Braille display On or Off: **SPACE + NEXT thumb key**

Route cursor to the beginning of the Braille display: **BACK + ADVANCE thumb key**

Cycle through the 4 Braille display modes: **PREVIOUS + NEXT**

change the text document reading grade: **ADVANCE with NEXT repeatedly**

For on the fly translation Braille grade: **p (preferred) f (six dot) h (8 dots)**

1.3.4 Miscellaneous commands

Block commands: **SPACE with B**

To open another book: **SPACE with dots 1-2-5-6**

To check what document you have selected: **SPACE with I**

1.4 Calculator.

1.4.1 Nemeth Math.

1	<i>A</i> or <i>lowered A</i> , etc.
Plus:	<i>dots 3-4-6.</i>
Minus:	<i>dots 3-6.</i>
Multiplied by:	<i>dots 1-6.</i>
Divided by:	<i>dots 3-4.</i>
Equals:	<i>ENTER.</i>
Decimal point:	<i>dots 4-6.</i>
Negative number:	<i>SPACE with dots 3-6.</i>
Percent operator:	<i>dots 1-4-6.</i>
Left parenthesis:	<i>dots 1-2-3-5-6.</i>
Right parenthesis:	<i>dots 2-3-4-5-6.</i>
Set decimal places:	<i>SPACE with dots 4-6.</i>
Clear calculation:	<i>SPACE with dots 3-5-6.</i>
Delete last key:	<i>BACKSPACE.</i>
Display calculation or result:	<i>SPACE with C.</i>
Read last number or sign entered:	<i>SPACE with dots 2-5.</i>
Square root:	<i>dots 3-4-5.</i>
Squared:	<i>SPACE with dots 3-4-5.</i>
Decimal exponent:	<i>X.</i>
Log to base e of:	<i>N.</i>
e to the power of:	<i>SPACE with N.</i>
Log to base 10 of:	<i>L.</i>
10 to the power of:	<i>SPACE with L.</i>
To the power of:	<i>dots 4-5.</i>
To the power of 1 divided by:	<i>SPACE with dots 4- 5.</i>
Degrees:	<i>T, then D.</i>
Radians:	<i>T, then R.</i>
PI:	<i>Y.</i>
Sine:	<i>T, S.</i>
Arc sine:	<i>SPACE with T, S.</i>

Cosine: *T, C.*
 Arc cosine: *SPACE with T, C.*
 Tan: *T, T.*
 Arc tan: *SPACE with T, T.*
 Clear memory: *SPACE with K, then 0 through 9.*
 Store memory: *SPACE with S, then 0 through 9.*
 Add to memory: *SPACE with A, then 0 through 9.*
 Recall memory: *SPACE with M, then 0 through 9.*
 display memory: *M, then 0 through 9.*
 Announce Key Mode: *SPACE with W.*
 Enter a fraction: Type the numerator,
Type the numerator, BACKSPACE with dots 3
-4 and then the denominator and then the
 denominator.
 Enter a mixed number: Type the whole number, *SPACE* and then the
 fraction.
 Convert a decimal to a fraction: *SPACE with dots 3-4.*
 Convert a fraction to a decimal: *SPACE with dots 3-4, D*
 Convert a fraction to its lowest terms: Type the fraction and press *ENTER.*
 Convert a mixed number to an improper fraction: *SPACE with dots 3-4.*
 Convert an improper fraction to a mixed number: *SPACE with dots 3-4 M, I.*
 Convert a fraction to a percentage: *dots 1-4-6.*
 Take the reciprocal of a fraction: *SPACE with dots 3-4.*
 Find an equivalent fraction to the displayed fraction: *SPACE with dots 3-4.*

1.4.1.1 Statistics

Data Set Menu:	<i>BACKSPACE with S.</i>
Check whether the data entry is on or off:	<i>SPACE with I.</i>
Find the result of a calculation without entering it into the data set:	<i>dots 1-2-3-4-5-6.</i>
Statistical Functions Menu/Statistical Functions Review List:	<i>S.</i>
Sample size:	<i>N.</i>
Mean:	<i>M.</i>
Median:	<i>D.</i>
Mode:	<i>O.</i>
Minimum:	<i>I.</i>
Maximum:	<i>X.</i>
Sample standard deviation:	<i>S.</i>
Population standard deviation:	<i>P.</i>
Sum of values:	<i>V.</i>
Sum of the square of values:	<i>Q.</i>
Copy a value to the clipboard:	<i>BACKSPACE with K.</i>
Enter the Data Set Review Mode:	<i>SPACE with X.</i>
Go to the previous data item:	<i>BACKSPACE.</i>
Go to the next data item:	<i>SPACE.</i>
Go to the first data item in the data set:	<i>SPACE with dots 1-2-3.</i>
Go to the last data item in the data set:	<i>SPACE with dots 4-5-6.</i>
Find a specific number in a data set:	<i>SPACE with F.</i>
Find the next occurrence of the same number in the data set:	<i>SPACE with N.</i>
Change the View Option:	<i>SPACE with V.</i>
Entry order:	<i>E.</i>
Frequency order:	<i>F.</i>
Numerical order:	<i>N.</i>
Delete the current data item:	<i>BACKSPACE with dots 1-4.</i>

1.4.2 UK Math.

1:	<i>A, etc.</i>
Plus:	<i>dots 2-3-5.</i>
Minus:	<i>dots 3-6.</i>
Multiplied by:	<i>dots 2-3-6.</i>
Divided by:	<i>dots 2-5-6.</i>
Equals:	<i>ENTER.</i>
Decimal point:	<i>dot 2.</i>
Negative number:	<i>SPACE with dots 3-6.</i>
Percent operator:	<i>P.</i>
Left parenthesis:	<i>dots 1-2-6.</i>
Right parenthesis:	<i>dots 3-4-5.</i>
Set decimal places:	<i>SPACE with dot 2.</i>
Clear calculation:	<i>BACKSPACE with dots 1-4.</i>
Delete last key:	<i>BACKSPACE.</i>
Display calculation or result:	<i>SPACE with C.</i>
Read last number or sign entered:	<i>SPACE with dots 2-5.</i>
Square root:	<i>dots 1-4-6.</i>
Squared:	<i>dots 2-3.</i>
Decimal exponent:	<i>X.</i>
Log to base e of:	<i>N.</i>
e to the power of:	<i>SPACE with N.</i>
Log to base 10 of:	<i>L.</i>
10 to the power of:	<i>SPACE with L.</i>
To the power of:	<i>dots 3-4-6.</i>
To the power of 1 divided by:	<i>SPACE with dots 3-4-6.</i>
Degrees:	<i>T, then D.</i>
Radians:	<i>T, then R.</i>
Pi:	<i>Y.</i>
Sine:	<i>T, S.</i>
Arc sine:	<i>SPACE with T, S.</i>
Cosine:	<i>T, C.</i>

Arc cosine: *SPACE with T, C.*
 Tan: *T, T.*
 Arc tan: *SPACE with T, T.*
 Clear memory: *SPACE with K, then 0 through 9.*
 Store memory: *SPACE with S, then 0 through 9.*
 Add to memory: *SPACE with A, then 0 through 9.*
 Recall memory: *SPACE with M, then 0 through 9.*
 display memory: *M, then 0 through 9.*
 display Calculation Formula: *PREVIOUS with NEXT.*
 Announce Key Mode: *SPACE with W.*
 Enter a fraction: *Type the numerator, BACKSPACE with dots 3-4 and then the denominator*
 Enter a mixed number: *Type the whole number, dots 3-4-5-6 (the number sign) and then the fraction.*
 Convert a decimal to a fraction: *SPACE with dots 3-4.*
 Convert a fraction to a decimal: *SPACE with dots 3-4, D.*
 Convert a fraction to its lowest terms: *Type the fraction and press ENTER.*
 Convert a mixed number to an improper fraction: *SPACE with dots 3-4.*
 Convert an improper fraction to a mixed number: *SPACE with dots 3-4 M.*
 Convert a fraction to a percentage: *P.*
 Take the reciprocal of a fraction: *SPACE with dots 3-4.*
 Find an equivalent fraction to the displayed fraction: *SPACE with dots 3-4.*

1.4.2.1 Statistics

Data Set Menu:	<i>BACKSPACE with S.</i>
Check whether the data entry is on or off:	<i>SPACE with I.</i>
Find the result of a calculation without entering it into the data set:	<i>dots 2-3-5-6.</i>
Statistical Functions Menu/Statistical Functions Review List:	<i>S.</i>
Sample size:	<i>N.</i>
Mean:	<i>M.</i>
Median:	<i>D.</i>
Mode:	<i>O.</i>
Minimum:	<i>I.</i>
Maximum:	<i>X.</i>
Sample standard deviation:	<i>S.</i>
Population standard deviation:	<i>P.</i>
Sum of values:	<i>V.</i>
Sum of the square of values:	<i>Q.</i>
Copy a value to the clipboard:	<i>BACKSPACE with K.</i>
Enter the Data Set Review Mode:	<i>SPACE with X.</i>
Go to the previous data item:	<i>BACKSPACE.</i>
Go to the next data item:	<i>SPACE.</i>
Go to the first data item in the data set:	<i>SPACE with dots 1-2-3.</i>
Go to the last data item in the data set:	<i>SPACE with dots 4-5-6.</i>
Find a specific number in a data set:	<i>SPACE with F.</i>
Find the next occurrence of the same number in the data set:	<i>SPACE with N.</i>
Change the View Option:	<i>SPACE with V.</i>
Entry order:	<i>E.</i>
Frequency order:	<i>F.</i>
Numerical order:	<i>N.</i>
Delete the current data item:	<i>BACKSPACE with dots 1-4.</i>

1.4.3 UEB Math

1:	<i>A, etc.</i>
Plus:	<i>dots 2-3-5.</i>
Minus:	<i>dots 3-6.</i>
Multiplied by:	<i>dots 2-3-6.</i>
Divided by:	<i>dots 3-4.</i>
Equals:	<i>ENTER.</i>
Decimal point:	<i>dots 2-5-6.</i>
Negative number:	<i>SPACE with dots 3-6.</i>
Percent operator:	<i>P.</i>
Left parenthesis:	<i>dots 1-2-6.</i>
Right parenthesis:	<i>dots 3-4-5.</i>
Set decimal places:	<i>SPACE with dot 2-5-6.</i>
Clear calculation:	<i>BACKSPACE with dots 1-4.</i>
Delete last key:	<i>BACKSPACE.</i>
Display calculation or result:	<i>SPACE with C.</i>
Read last number or sign entered:	<i>SPACE with dots 2-5.</i>
Square root:	<i>dots 1-4-6.</i>
Squared:	<i>SPACE with dots 1-4-6.</i>
Decimal exponent:	<i>X.</i>
Log to base e of:	<i>N.</i>
e to the power of:	<i>SPACE with N.</i>
Log to base 10 of:	<i>L.</i>
10 to the power of:	<i>SPACE with L.</i>
To the power of:	<i>dots 3-5.</i>
To the power of 1 divided by:	<i>SPACE with dots 3-5.</i>
Degrees:	<i>T, then D.</i>
Radians:	<i>T, then R.</i>
Pi:	<i>Y.</i>
Sine	<i>T, S.</i>
Arc sine:	<i>SPACE with T, S.</i>
Cosine:	<i>T, C.</i>

Arc cosine:	SPACE with T, C.
Tan:	T, T.
Arc tan:	SPACE with T, T.
Clear memory:	SPACE with K, then 0 through 9.
Store memory:	SPACE with S, then 0 through 9.
Add to memory:	SPACE with A, then 0 through 9.
Recall memory:	SPACE with M, then 0 through 9.
display memory:	M, then 0 through 9.
Display Calculation Formula:	PREVIOUS with NEXT.
Announce Key Mode:	SPACE with W.
Enter a fraction:	Type the numerator, BACKSPACE with dots 3-4 and then the denominator.
Enter a mixed number:	Type the whole number, dots 3-4-5-6 (the number sign) and then the fraction.
Convert a decimal to a fraction:	SPACE with dots 3-4.
Convert a fraction to a decimal:	SPACE with dots 3-4, D.
Convert a fraction to its lowest terms:	Type the fraction and press ENTER.
Convert a mixed number to an improper fraction:	SPACE with dots 3-4.
Convert an improper fraction to a mixed number:	SPACE with dots 3-4 M.
Convert a fraction to a percentage:	P.
Take the reciprocal of a fraction:	SPACE with dots 3-4.
Find an equivalent fraction to the displayed fraction:	SPACE with dots 3-4.

1.4.3.1 Statistics

Data Set Menu:	<i>BACKSPACE with S.</i>
Check whether the data entry is on or off:	<i>SPACE with I.</i>
Find the result of a calculation without entering it into the data set:	<i>dots 2-3-5-6.</i>
Statistical Functions Menu/Statistical Functions Review List:	<i>S.</i>
Sample size:	<i>N.</i>
Mean:	<i>M.</i>
Median:	<i>D.</i>
Mode:	<i>O.</i>
Minimum:	<i>I.</i>
Maximum:	<i>X.</i>
Sample standard deviation:	<i>S.</i>
Population standard deviation:	<i>P.</i>
Sum of values:	<i>V.</i>
Sum of the square of values:	<i>Q.</i>
Copy a value to the clipboard:	<i>BACKSPACE with K.</i>
Enter the Review Mode:	<i>SPACE with X.</i>
Go to the previous data item:	<i>BACKSPACE.</i>
Go to the next data item:	<i>SPACE.</i>
Go to the first data item in the data set:	<i>SPACE with dots 1-2-3.</i>
Go to the last data item in the data set:	<i>SPACE with dots 4-5-6.</i>
Find a specific number in a data set:	<i>SPACE with F.</i>
Find the next occurrence of the same number in the data set:	<i>SPACE with N.</i>
Change the View Option:	<i>SPACE with V.</i>
Entry order:	<i>E.</i>
Frequency order:	<i>F.</i>
Numerical order:	<i>N.</i>
Delete the current data item:	<i>BACKSPACE with dots 1-4.</i>

1.5 Planner.

1.5.1 Selecting a New Date.

At the calendar:

Move by day: *SPACE with dot 3 or dot 6.*

Move by week: *SPACE with dot 2 or dot 5.*

Move by month: *SPACE with dot 1 or dot 4.*

Move by year: *SPACE with dots 2-3 or dots 5-6.*

In a planner page:

Go to a new date: *SPACE with dots 1-2-6, then,*

Select Forward or Back: *F or B, then,*

(where *n* equals a number)

Move by *n* day/s: *nD.*

Move by *n* week/s: *nW.*

Move by *n* month/s: *nM.*

Move by *n* year/s: *nY.*

1.5.2 Reading the Entries.

Previous entry: *SPACE with dot 1.*

Current entry: *SPACE with dots 1-4.*

Next entry: *SPACE with dot 4.*

Note: In Notes, the above commands move by sentence or line as in KeyWord.

All entries for previous day: *SPACE with dots 2-3.*

All entries for current day: *SPACE with dots 2-3-5-6.*

All entries for next day: *SPACE with dots 5-6.*

Top of current day: *SPACE with dots 1-2-3.*

Bottom of current day: *SPACE with dots 4-5-6.*

Note: In Notes, the top and bottom commands take you to top or bottom of the notes.

Read continuously: *SPACE with G, or SPACE with dots 1-2-4-5.*

Find text string: *SPACE with F.*

Find next occurrence: *SPACE with N.*

Appointment menu: *SPACE with dots 3-4.*

Schedule appointment: Appointment menu, *S*, or *SPACE with dots 2-6.*

Review or Modify appointment: Appointment menu, *R*, or *BACKSPACE with R.*

Cancel appointment: Appointment menu, *C*, or *BACKSPACE with dots 1-4.*

Hear next appointment anywhere in KeySoft: *SPACE with O, N, or ENTER with N.*

Go to next overlapping appt: *SPACE with 3-4-5-6.*

Go to previous overlapping appt: *SPACE with dots 1-2-3-6.*

When the cursor is in the date line of a calendar page:

Number of appointments and all-day events: *SPACE with I.*

Date and days away from current date: *SPACE with dots 1-5-6.*

When the cursor is in an appointment:

Summary of recurrences and alarm status: *SPACE with I.*

Date and time and days away from current date: *SPACE with dots 1-5-6.*

1.5.2.1 Recurring Appointments.

Move to next occurrence: *SPACE with dots 3-5-6.*

Move to previous occurrence: *SPACE with dots 2-3-6.*

Patterns:

Daily: Type number of days

Weekly, Yearly: Sunday: *Su.*

Monday: *Mo.*

Tuesday: *Tu.*

Wednesday: *We.*

Thursday: *Th.*

Friday: *Fr.*

Saturday: *Sa.*

every day: *v.*

weekdays: *d.*

weekend days: *e.*

Note: you can type less letters for Monday, Wednesday or Friday as their initial letters are unique. You can also type more of the name of a day, for example, Thurs for Thursday.

Weeks between occurrences: Type number of weeks.

Monthly, Yearly: first week: *1.*

second week: *2.*

third week: *3.*

fourth week: *4.*

last week: *1.*

Months between occurrences: Type number of months.

Number of Recurrences: (not all options documented)

Days: *SPACE with dot 6.*

Weeks: *SPACE with dot 5.*

Months: *SPACE with dot 4.*

Years: *SPACE with dots 5-6.*

1.5.3 Alarms.

Acknowledge alarm: *BACKSPACE with ENTER*

then:

Read alarm details: *R.*

Cancel alarm: *C.*

Postpone alarm: *P.*

Go to diary entry: *G.*

1.5.4 Miscellaneous Functions.

Move from planner page

to calendar: *SPACE with E.*

Hear the current time: *ENTER with T.*

Hear today's date: *ENTER with D.*

Query day, date and duration: *SPACE with wh sign (dots 1-5-6).*

Announce Key Names: *SPACE with W.*

1.6 Address List.

Previous record:	<i>SPACE with dots 2-3.</i>
Current record:	<i>SPACE with dots 2-3-5-6.</i>
Next record:	<i>SPACE with dots 5-6.</i>
Previous field:	<i>BACKSPACE.</i>
Current field:	<i>SPACE with dots 1-4.</i>
Next field:	<i>SPACE.</i>
Previous word:	<i>SPACE with dot 2.</i>
Current word:	<i>SPACE with dots 2-5.</i>
Next word:	<i>SPACE with dot 5.</i>
Add a completed record:	<i>SPACE with dots 2-6.</i>
Change current or other field:	<i>BACKSPACE with dots 1-4.</i>
Clear current field:	<i>SPACE with dots 3-5-6.</i>
Delete record:	<i>BACKSPACE with dots 2-3-5-6.</i>
Copy record to Clipboard:	<i>SPACE with B.</i>

1.7 E-mail.

1.7.1 In an E-mail Folder.

Read E-mail:	<i>ENTER.</i>
Next field:	<i>SPACE.</i>
Previous field:	<i>BACKSPACE.</i>
Next E-mail:	<i>SPACE with dots 5-6.</i>
Previous E-mail:	<i>SPACE with dots 2-3.</i>
Move E-mail to Trash:	<i>BACKSPACE with dots 2-3-5-6.</i>
Mark E-mail:	<i>SPACE with M.</i>
Mark All:	<i>SPACE with dots 2-6, then A.</i>
Search:	<i>SPACE with F.</i>
E-mail Action Menu:	<i>SPACE with dots 2-6.</i>
Move forward by day:	<i>BACKSPACE with dot 6.</i>
Move back a day:	<i>BACKSPACE with dot 3.</i>
Move forward by week:	<i>BACKSPACE with dot 5.</i>
Move back a week:	<i>BACKSPACE with dot 2.</i>
Move forward by month:	<i>BACKSPACE with dot 4.</i>
Move back a month:	<i>BACKSPACE with dot 1.</i>
Move forward by year:	<i>BACKSPACE with dots 5-6.</i>
Move back a year:	<i>BACKSPACE with dots 2-3.</i>
Move to first e-mail:	<i>SPACE with dots 1-2-3.</i>
Move to last e-mail:	<i>SPACE with dots 4-5-6.</i>

1.7.2 In a List of E-mail Folders.

Select prompted folder:	<i>ENTER.</i>
Delete folder:	<i>BACKSPACE with dots 2-3-5-6.</i>
Rename folder:	<i>ENTER with R.</i>
display Number of e-mails:	<i>SPACE with I.</i>

1.7.3 At “Ready to send” prompt.

Send e-mail:	<i>Y.</i>
Return to “Send to?” prompt:	<i>N.</i>
Save e-mail as a Draft:	<i>D.</i>
Print e-mail:	<i>P.</i>
Emboss e-mail:	<i>E.</i>
Abandon e-mail without sending:	<i>SPACE with E.</i>

1.7.4 E-mail in Trash Folder.

At “Empty Trash?” prompt,

Leave items in Trash:	<i>N.</i>
Delete items in Trash:	<i>Y.</i>
Review items in Trash:	<i>R.</i>
Options after selecting Review,	
Move to next e-mail:	<i>SPACE with dots 5-6.</i>
Move to previous e-mail:	<i>SPACE with dots 2-3.</i>
Delete e-mail being reviewed:	<i>BACKSPACE with dots 2-3-5-6.</i>
Trash Folder Menu:	<i>SPACE with dots 2-6.</i>
then,	
Restore e-mail to original folder:	<i>R.</i>
Empty Trash folder:	<i>E.</i>

1.8 Database Manager.

1.8.1 Adding a Record.

Add a record:	<i>SPACE with dots 2-6.</i>
Retrieve last record:	<i>SPACE with B then R.</i>
Paste the clipboard into a field:	<i>SPACE with B then P.</i>
Remove a field entry from the current record:	<i>SPACE with dots 3-5-6 then ENTER.</i>

1.8.2 Finding Information.

Go to the next record:	<i>SPACE with dots 5-6.</i>
Go to the previous record:	<i>SPACE with dots 2-3.</i>
Next field:	<i>SPACE.</i>
Previous field:	<i>BACKSPACE.</i>
Next word:	<i>SPACE with dot 5.</i>
Previous word:	<i>SPACE with dot 2.</i>
To hear the current record:	<i>SPACE with dots 2-3-5-6.</i>
Exit from the list of records:	<i>SPACE with E.</i>
Delete a record:	<i>BACKSPACE with dots 2-3-5-6.</i>
Edit current record:	<i>BACKSPACE with dots 1-4.</i>
Copy a field to the clipboard:	<i>BACKSPACE with K.</i>
Copy a record to clipboard:	<i>SPACE with B then C.</i>

1.8.3 Field Definition List Commands.

To delete a field:	<i>BACKSPACE with dots 1-4.</i>
To review or change field settings:	<i>BACKSPACE with O.</i>
To insert a field before the current field:	<i>SPACE with dots 2-6.</i>
To cycle through the field data types:	<i>SPACE with dots 3-4.</i>
To move current field one up in the list:	<i>BACKSPACE with dots 2-3.</i>
To move current field one down in the list:	<i>BACKSPACE with dots 5-6.</i>
Exit the field definition list:	<i>SPACE with E.</i>

1.8.4 Sort Order and Record Title List Commands.

To change a sort order or a record title field:	<i>ENTER.</i>
To remove a sort order or a record title field:	<i>BACKSPACE with dots 1-4.</i>

1.9 Games.

1.9.1 Basic Commands.

Go to game:	<i>BACKSPACE with ENTER with G.</i>
Save the game:	<i>SPACE with S.</i>
Load the game:	<i>ENTER with O.</i>
Abandon the game:	<i>BACKSPACE with Q.</i>
Enter the next move:	Type a single/multiple character.
Insert the last move entered:	<i>BACKSPACE with R.</i>
Insert block marker:	<i>BACKSPACE with M.</i>
Copy block to the clipboard:	<i>BACKSPACE with K.</i>
Paste the contents of the clipboard to the input prompt:	<i>BACKSPACE with V.</i>

1.9.2 Game History Commands.

View the current status:	<i>BACKSPACE with S.</i>
Move forward from the history item:	<i>SPACE with dots 2-3.</i>
Move backward from the history item:	<i>SPACE with dots 5-6.</i>

In Sentence and Paragraph reading Mode, the following commands review sentences and paragraphs.

Move back a sentence	: <i>SPACE with dot 1.</i>
Hear the current sentence:	<i>SPACE with dots 1-4.</i>
Move forward a sentence:	<i>SPACE with dot 4.</i>
Move back a word:	<i>SPACE with dot 2.</i>
Hear the current word:	<i>SPACE with dots 2-5.</i>
Move forward a word:	<i>SPACE with dot 5.</i>
Move back a character:	<i>SPACE with dot 3.</i>
Hear the current character:	<i>SPACE with dots 3-6.</i>
Move forward a character:	<i>SPACE with 6.</i>

1.10 Unicode Characters.

These commands only function in Text or Computer Braille documents.

Unicode character entry:	<i>BACKSPACE with dots 3-5.</i>
Select Unicode Table:	<i>SPACE</i> , then <i>ENTER</i> .
Select Unicode Character:	<i>SPACE</i> or letter, then <i>ENTER</i> .
Review or change a way a character is displayed in Braille:	Unicode Table, <i>SPACE with D</i> .
Review or change a macro for a character:	Unicode Table, <i>SPACE with K</i> .

1.11 Web Browser.

Open a new URL:	<i>SPACE with E.</i>
Go forward one page:	<i>ENTER with F.</i>
Go back one page:	<i>ENTER with B.</i>
Save web page:	<i>SPACE with S.</i>
Refresh Page:	<i>ENTER with R.</i>
Hear URL contents:	<i>SPACE with I</i> then repeat the command.
Modem disconnect:	<i>SPACE with O</i> then <i>C, D</i> .
Progress Tone Volume:	<i>SPACE with O then R</i> . Move through the list until the "Progress Tone Volume" setting is displayed.
Internet Options Menu:	<i>BACKSPACE with O.</i>
Favorites Menu:	<i>ENTER with lower f.</i>

1.11.1 Move by Element.

"Click" on an item:	<i>ENTER.</i>
Read Input Control Prompt:	<i>SPACE with R.</i>
Move to next element:	<i>SPACE with dots 4-6.</i>
Move to previous element:	<i>SPACE with dots 1-3.</i>
Current element:	<i>SPACE with dots 1-3-4-6.</i>
Change element type:	<i>SPACE with T.</i>
Link:	<i>L.</i>
Input Control:	<i>I.</i>
Heading:	<i>H.</i>
Frame:	<i>F.</i>
Link or input control:	<i>B.</i>
Move to next link or input control:	<i>NEXT</i> thumb key.
Move to previous link or input control:	<i>PREVIOUS</i> thumb key.
Change option for NEXT and PREVIOUS thumb keys:	<i>SPACE with O, B.</i> Review the list for "Function of previous and next thumb keys".

1.11.2 Move from link to link.

Move backwards:	<i>BACKSPACE.</i>
Move forwards:	<i>SPACE.</i>
Jump to link starting with:	Press first letter.

1.11.3 Tables.

Table Mode:	<i>SPACE with M</i> repeatedly until "Table Mode" is displayed.
Query Cursor Position:	<i>SPACE with wh sign (dots 1-5-6).</i>
While in Table Mode:	
Move forward one cell along a row:	<i>SPACE with dot 4.</i>
To hear the current cell in a row:	<i>SPACE with dots 2-3-5-6.</i>
Move back one cell along a row:	<i>SPACE with dot 1.</i>
Move down one cell in a column:	<i>SPACE with dots 5-6.</i>
To hear the current cell in a column:	<i>SPACE with dots 1-4.</i>
Move down one cell in a column:	<i>SPACE with dots 2-3.</i>

1.11.4 History.

History command list:	<i>ENTER with dots 2-3-6.</i>
Navigate to current record:	<i>ENTER.</i>
Next Field:	<i>SPACE.</i>
Previous field:	<i>BACKSPACE.</i>
Next History record:	<i>SPACE with dots 5-6.</i>
Previous History record:	<i>SPACE with dots 2-3.</i>
Forward one Day:	<i>BACKSPACE with dot 6.</i>
Back one Day:	<i>BACKSPACE with dot 3.</i>
Forward one week:	<i>BACKSPACE with dot 5.</i>
Back one week:	<i>BACKSPACE with dot 2.</i>
Previous Domain name:	<i>BACKSPACE with dot 4.</i>
Next Domain name:	<i>BACKSPACE with dot 1.</i>
Newest History record:	<i>SPACE with dots 1-2-3.</i>
Oldest History record:	<i>SPACE with dots 4-5-6.</i>
Sort by domain/day:	<i>SPACE with S.</i>

Note: history is presented alphabetically for day or domain.

1.12 Chat

Start a new conversation: *S*

To access contact list from "Chat with" prompt: *SPACE*

Options: *O*

General Settings: *G*

To cycle through options: *SPACE with dots 3-4*

Contact commands:

Review Contact Information: *SPACE with I*

Delete Contact: *BACKSPACE with dots 1-4*

Rename Contact: *BACKSPACE with R*

Change Contact list filter: *SPACE with X*

1.13 Stopwatch.

Go to StopWatch: *ENTER with W*, or
SPACE with O, then *T, S*.

Stop or Start Stopwatch: *SPACE*.

Set time back to Zero: *BACKSPACE with dots 1-4*.

Stop stopwatch altogether: *SPACE* then *BACKSPACE with dots 1-4*.

Hear elapsed time: *SPACE with R*.

Hear elapsed time again: *L*.

1.14 Media Player.

Go to Media Player:	<i>BACKSPACE with ENTER with M.</i>
Volume increase relative to speech:	<i>ENTER with dots 4-6.</i>
Volume decrease relative to speech:	<i>ENTER with dots 1-3.</i>
Pause track:	<i>BACKSPACE with ENTER or ENTER with dots 1-3-4-6.</i>
Restart track:	<i>BACKSPACE with ENTER, SPACE with G, or ENTER with dots 1-3-4-6.</i>
Pause audio streaming:	<i>ENTER with dots 1-3-4-6.</i>
Restart audio streaming:	<i>ENTER with dots 1-3-4-6.</i>
Skip forward 1%:	<i>SPACE with dot 6.</i>
Skip back 1%:	<i>SPACE with dot 3.</i>
Skip forward 5%:	<i>SPACE with dot 5.</i>
Skip back 5%:	<i>SPACE with dot 2.</i>
Skip forward 10%:	<i>SPACE with dot 4.</i>
Skip back 10%:	<i>SPACE with dot 1.</i>
Elapsed time of total time:	<i>SPACE with wh sign (dots 1-5-6).</i>
Track Information:	<i>SPACE with F.</i>
Stop track and exit:	<i>SPACE with E.</i>

1.14.1 Audio Recorder.

Record a memo:	Either press Record button or go through the Media Center menu.
Stop Recording:	Either press Record button or go through the Media Center menu.
Playback a memo:	<i>ENTER with M.</i>

1.14.2 FM Radio.

Go to FM Radio:	<i>BACKSPACE with ENTER with F.</i>
Turn off FM Radio:	<i>SPACE with E.</i>
Toggle speaker on/off:	<i>ENTER with S.</i>
Go to next preset station:	<i>SPACE.</i>
Go to previous preset station:	<i>BACKSPACE.</i>
Go to preset station starting with a particular character:	<i>ALPHA or DIGIT.</i>
Enter a new preset station:	<i>BACKSPACE with R.</i>
Rename preset station:	Select the preset then press <i>BACKSPACE with R.</i>
Delete radio preset:	Select the preset then press <i>BACKSPACE with dots 2-3-5-6.</i>
Jump directly to a frequency:	<i>SPACE with F.</i>
Scan frequency forward:	<i>SPACE with dot 4.</i>
Scan frequency backward:	<i>SPACE with dot 1.</i>
Jump frequency forward by 1MHz:	<i>SPACE with dot 5.</i>
Jump frequency back by 1MHz:	<i>SPACE with dot 2.</i>
Jump frequency forward by 100kHz:	<i>SPACE with dot 6.</i>
Jump frequency back by 100kHz:	<i>SPACE with dot 3.</i>
Turn the FM Radio volume up relative to speech:	<i>ENTER with dots 4-6.</i>
Turn the FM Radio volume down relative to speech:	<i>ENTER with dots 1-3.</i>
Mute or unmute the FM Radio:	<i>ENTER with dots 1-3-4-6.</i>

End of Command Summary.